

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vinginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/898,792	07/03/2001	Guy L. Burnham	10010626-1	1803
7.	590 07/15/2003			
HEWLETT-PACKARD COMPANY			EXAMINER	
Intellectual Pro P.O. Box 2724	perty Administration 00		TRUONG, CAM Y T	
Fort Collins, CO 80527-2400			ART UNIT	PAPER NUMBER
			2172	
			DATE MAILED: 07/15/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

	Application No.	Applicant(s)
	09/898,792	BURNHAM, GUY L.
Office Action Summary	Examiner	Art Unit
	Cam-Y T Truong	2172
The MAILING DATE of this commun Period for Reply	nication appears on the cover sheet wi	th the correspondence address
A SHORTENED STATUTORY PERIOD IN THE MAILING DATE OF THIS COMMUN - Extensions of time may be available under the provision after SIX (6) MONTHS from the mailing date of this come. - If the period for reply specified above is less than thirty (1) - If NO period for reply is specified above, the maximum is a Failure to reply within the set or extended period for reply. - Any reply received by the Office later than three months earned patent term adjustment. See 37 CFR 1.704(b). Status	NICATION. Is of 37 CFR 1.136(a). In no event, however, may a resummentation. (30) days, a reply within the statutory minimum of thirt statutory period will apply and will expire SIX (6) MON by will, by statute, cause the application to become AB	eply be timely filed by (30) days will be considered timely. THS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
1) Responsive to communication(s) f	filed on .	
2a)☐ This action is FINAL .	2b)⊠ This action is non-final.	
	on for allowance except for formal mat ctice under <i>Ex parte Quayle</i> , 1935 C.	
4)⊠ Claim(s) <u>1-40</u> is/are pending in the	application	
4a) Of the above claim(s) is/a		
5) Claim(s) is/are allowed.	are withdrawn from consideration.	
· · · · · · · · · · · · · · · · · · ·		
6) Claim(s) <u>1-40</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restri	ction and/or election requirement.	•
9) The specification is objected to by the	ne Evaminer	•
10) The drawing(s) filed on is/are		ho Everniner
	pjection to the drawing(s) be held in abeya	
11) The proposed drawing correction file		· · ·
If approved, corrected drawings are re		isapproved by the Examiner.
12) The oath or declaration is objected to	•	
Priority under 35 U.S.C. §§ 119 and 120	o by the Examiner.	
<u> </u>	e for foreign priority, and an 25 H C O S	
13) Acknowledgment is made of a claim	n for foreign priority under 35 U.S.C. §	§ 119(a)-(d) or (f).
a) All b) Some * c) None of:		
_	documents have been received.	
	documents have been received in Ap	
Copies of the certified copies application from the Interest See the attached detailed Office actions	of the priority documents have been national Bureau (PCT Rule 17.2(a)). on for a list of the certified copies not i	-
14) Acknowledgment is made of a claim	for domestic priority under 35 U.S.C.	§ 119(e) (to a provisional application).
a) ☐ The translation of the foreign la 15)☐ Acknowledgment is made of a claim		
Attachment(s)	.s. someste priority under 50 0.0.0.	33 120 GHGIOL 121.
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (I 3) Information Disclosure Statement(s) (PTO-1449) F	PTO-948) 5) Notice of I	Summary (PTO-413) Paper No(s) nformal Patent Application (PTO-152)
S. Patent and Trademark Office TO-326 (Rev. 04-01)	Office Action Summary	Part of Paper No. 2

Page 2

Application/Control Number: 09/898,792

Art Unit: 2172

DETAILED ACTION

1. Claims 1-40 are pending in this Office Action.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wilz, Sr. et al (or hereinafter "Wilz") (USP 6076733).

As to claim 1, Wilz teaches the claimed limitations:

"providing a readable resource" as accessing Internet-based information resources. Each Internet-based information resource is represented as a readable resource (col. 1, line 47);

"defining a human-readable resource designator that can be used to access information associated with the readable resource" as a user can accesses other web site by simply clicking on or selecting the highlighted URL. URL is represented as a human-readable resource designator (col. 1, line 67, col. 2, lines 1-5);

"associating, on the readable resource, the human-readable resource designator and the computer-readable resource designator" as reading bar code symbol that has been encoded with the complete URL of an Internet information resource to be accessed. This information shows that there is an associating among resource, URL

Art Unit: 2172

and bar code. URL bar code is represented as the computer-readable resource designator (col. 13, lines 60-65).

Wilz does not clearly teach the claimed limitation "defining a computer-readable resource designator that can be used by a computer to automatically access said information". However, Wilz teaches that the bar code symbol reading systems is a laser scanning bar code symbol reader, which is connected to the data-input port of the client computer platform. When used to read a URL-encoded bar code symbol, the URL automatically entered as input the Goto window of the Internet browser program, the particular information resource corresponding to the URL is automatically accessed by the Internet Access System for display on visual display terminal. The above information shows that the URL-encoded bar code symbol is used by the client computer to automatically access information on Internet. The URL-encoded bar code symbol is represented as a computer-readable resource designator (col. 16, lines 62-67; col. 17, lines 1-5).

It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to apply Wilz's teaching of when reading a URL-encoded bar code symbol, the URL automatically entered as input the Goto window of the Internet browser program, the particular information resource corresponding to the URL is automatically accessed by the Internet Access System for display on visual display terminal in order to provide a novel method of surfing to web-sites on the Internet by optically scanning the character strings of URLs into GUI without the need of manual data entry operations or eliminate users' interactions.

Art Unit: 2172

As to claim 2, Wilz teaches the claimed limitation "providing one or more Webaccessible resources" as (fig. 6B, abstract).

As to claim 3, Wilz teaches the claimed limitation "one or more resources that are not Web-accessible" as sheet or page of a web-site guide (col. 2, lines 55-60).

As to claim 4, Wilz teaches the claimed limitation "defining a URL" as (col. 12, lines 25-30).

As to claim 5, Wilz teaches the claimed limitation "wherein said associating comprises printing the designators on a paper" as (figs. 1C1-1C2, col. 31, lines 35-60).

As to claim 6, Wilz teaches the claimed limitation "wherein said associating comprises printing the designators on a Web page" as (col. 31, lines 35-60).

As to claim 7, Wilz teaches the claimed limitation "wherein said associating comprises placing the designators on a media other than printed paper" as (col. 16, lines 62-67; col. 17, lines 1-5).

As to claim 8, Wilz teaches the claimed limitation "wherein said defining a computer-readable resource designator comprises defining a designator that is not

Art Unit: 2172

human-readable for purpose of accessing said information" as the bar code 8 of URL.

User cannot read this code. Thus, this bar code is not human-readable (fig. 1B4).

As to claim 9, Wilz teaches the claimed limitations:

"define a human-readable resource designator comprising a URL that can be used to access a Web page" as a user can accesses other web site by simply clicking on or selecting the highlighted URL. URL is represented as a human-readable resource designator (col. 1, line 67, col. 2, lines 1-5);

"and associate the human-readable resource designator with the computerreadable resource designator in a manner such that if the Web page is printed, individual designators appear thereon" as (col. 31, lines 55-60).

Wilz does not clearly teach the claimed limitation "define a computer-readable resource designator associated with and corresponding to the URL that can be used by a computer to automatically access said Web page". However, Wilz teaches that the bar code symbol reading systems is a laser scanning bar code symbol reader, which is connected to the data-input port of the client computer platform. When used to read a URL-encoded bar code symbol, the URL automatically entered as input the Goto window of the Internet browser program, the particular information resource corresponding to the URL is automatically accessed by the Internet Access System for display on visual display terminal. The above information shows that the URL-encoded bar code symbol is used by the client computer to automatically access information on

Art Unit: 2172

Internet. The URL-encoded bar code symbol is represented as a computer-readable resource designator (col. 16, lines 62-67; col. 17, lines 1-5).

It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to apply Wilz's teaching of when reading a URL-encoded bar code symbol, the URL automatically entered as input the Goto window of the Internet browser program, the particular information resource corresponding to the URL is automatically accessed by the Internet Access System for display on visual display terminal in order to provide a novel method of surfing to web-sites on the Internet by optically scanning the character strings of URLs into GUI without the need of manual data entry operations or eliminate users' interactions.

As to claim 10, Wilz teaches the claimed limitations "wherein said instructions cause the one or more processors to define different designators" as (col. 13, lines 55-67; col. 14, lines 1-10).

As to claim 11, Wilz teaches the claimed limitations "wherein said instructions cause the one or more processors to define an integrated designator that includes both a human-readable portion and a computer-readable portion" as (col. 13, lines 55-67; col. 14, lines 1-10).

As to claim 12, Wilz teaches the claimed limitations "wherein said instructions cause the one or more processors to define said computer-readable resource"

designator by defining said designator so that it is only readable by a computer to ascertain the URL, and is not readable a human to ascertain the URL" as the bar code 8 of URL. User cannot read this code. Thus, this bar code is not human-readable (fig. 184).

As to claim 13, Wilz teaches the claimed limitations "wherein said instructions cause the one or more processors to define said computer-readable resource designator by defining a plurality of scan lines" as (col. 14, lines 10-15).

As to claim 14, Wilz teaches the claimed limitations:

"said computer-readable resource designator being displayed on a readable resource and displayed in conjunction with a human-readable resource designator that can be read by a human and used to access said information" as displaying a URL-encoded bar code symbol and URL on a particular web-site or Internet information resource. The URL encoded bar code symbol is represented as computer-readable resource designator. URL, which is used to access resource, is represented as a human-readable resource designator. A web-site is represented as readable resource (fig. 6B, col. 22, lines 15-35; col. 2, lines 1-5).

"processing the computer-readable resource designator to identify a designator that is associated with a network-accessible resource" as (col. 16, lines 65-67; col. 17, lines 1-5);

Art Unit: 2172

"requesting a designated resource" as reading a bar code symbol that has been encoded with the complete URL of an Internet information resource to be accessed. This information shows that the system has to receive a request bar code symbol before reading the bar code symbol (col. 13, lines 60-65) "and receiving the requested resource" as (col. 13, lines 60-65).

Wilz does not clearly teach the claimed limitation "reading, with a computer, a computer-readable resource designator that can be used by a computer to automatically access information". However, Wilz teaches that the bar code symbol reading systems is a laser scanning bar code symbol reader, which is connected to the data-input port of the client computer platform. When used to read a URL-encoded bar code symbol, the URL automatically entered as input the Goto window of the Internet browser program, the Internet Access System for display on visual display terminal automatically accesses the particular information resource corresponding to the URL. The above information shows that the URL-encoded bar code symbol is used by the client computer to automatically access information on Internet. The URL-encoded bar code symbol is represented as a computer-readable resource designator (col. 16, lines 62-67; col. 17, lines 1-5).

It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to apply Wilz's teaching of when reading a URL-encoded bar code symbol, the URL automatically entered as input the Goto window of the Internet browser program, the particular information resource corresponding to the URL is automatically accessed by the Internet Access System for display on visual display

terminal in order to provide a novel method of surfing to web-sites on the Internet by optically scanning the character strings of URLs into GUI without the need of manual data entry operations or eliminate users' interactions.

As to claim 15, Wilz teaches the claimed limitation "a URL" as (col. 13, lines 60-63).

As to claim 16, Wilz teaches the claimed limitation "wherein said requesting comprises wirelessly requesting said designated resource" as (col. 15, lines 60-67; col. 16, lines 1-5).

As to claim 17, Wilz teaches the claimed limitation "requesting said designated resource over the Internet" as (col. 15, lines 55-67; col. 16, lines 1-25).

As to claim 18, Wilz teaches the claimed limitation "reading a computer-readable resource designator that is embodied on a printed piece of paper" as (col. 8, lines 5-15).

As to claim 19, Wilz teaches the claimed limitation "wherein said reading comprises reading a computer-readable resource designator that is embodied on a printed Web page" as (col. 31, lines 35-60).

As to claim 20, Wilz teaches the claimed limitations:

"a readable resource" as accessing Internet-based information resources. Each Internet-based information resource is represented as a readable resource (col. 1, line 47);

"a human-readable resource designator on the readable resource" as a user can accesses other web site by simply clicking on or selecting the highlighted URL. URL is represented as a human-readable resource designator (col. 1, line 67, col. 2, lines 1-5);

"and a computer-readable resource designator on the readable resource" as (col. 13, lines 60-65);

"the computer-readable resource designator being associated with and corresponding to the human-readable resource designator" as (col. 13, lines 60-65).

Wilz does not clearly teach the claimed limitation "the computer-readable resource designator being configured for use by a computer so that a computer can automatically retrieve a resource associated with both the human-readable resource designator and the computer-readable resource designator". However, Wilz teaches that the URL encoded within the bar code symbol is used to specify the location of an information storage field represented on a statically-defined HTML encoded information field on a web-page stored on the RTD information server 51 and served to client subsystems by HTTP server 60. The CGI 61 realized aboard RTD server 51 translates the product identification number stored on web-page 59 at URL 58 into a SQL type request the information record stored in RDBMS 55 and converts such retrieved information elements into a HTML-encoded web-page conveniently formatted for display on the display screen of the requesting client system 52, 53 and/or 54. The

system displays a resource, which includes URL-encoded bar code and URL. The above information shows that the server computer retrieves automatically the website after receiving clients' requests (col. 27, lines 40-65; col. 22, lines 15-36).

Page 11

It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to apply Wilz's teaching of that the URL encoded within the bar code symbol is used to specify the location of an information storage field represented on a statically-defined HTML encoded information field on a web-page stored on the RTD information server 51 and served to client subsystems by HTTP server 60. The CGI 61 realized aboard RTD server 51 translates the product identification number stored on web-page 59 at URL 58 into a SQL type request the information record stored in RDBMS 55 and converts such retrieved information elements into a HTML-encoded web-page conveniently formatted for display on the display screen of the requesting clients in order to provide a novel method of surfing to web-sites on the Internet by optically scanning the character strings of URLs into GUI without the need of manual data entry operations or eliminate users' interactions.

As to claims 21 and 31, Wilz teaches the claimed limitation "a scannable designator" as (col. 16, lines 62-67).

As to claims 22 and 32, Wilz teaches the claimed limitation "plural scan lines" as (col. 14, lines 10-15).

As to claims 23 and 33, Wilz teaches the claimed limitation "a bar code" as (fig. 6B).

As to claims 24, 34, and 36, Wilz teaches the claimed limitation "a URL" as (fig. 6B).

As to claims 25 and 37, Wilz teaches the claimed limitation "a printed piece of paper" as (fig. 1C2).

As to claims 26 and 38, Wilz teaches the claimed limitation "a printed Web page" as (col. 31, lines 55-60).

As to claims 27 and 39, Wilz teaches the claimed limitation "a media other than paper" as (col. 22, lines 34-35).

As to claim 28, Wilz teaches the claimed limitation "wherein said computerreadable resource designator and said human-readable resource designator are integrated" as (col. 6, lines 44-46).

As to claim 29, Wilz teaches the claimed limitation "wherein said computerreadable resource designator and said human-readable resource designator are

integrated and appear on a common portion of the readable resource" as (col. 6, lines 44-46, fig. 6B).

As to claim 30, Wilz teaches the claimed limitation:

"at least one human-readable resource designator" as (col. 4, lines 45-50);

"and at least one computer-readable resource designator associated with and corresponding to said one human-readable resource designator" as (col. 4, lines 45-50; col. 6, lines 44-46, fig. 6B).

Wilz does not clearly teach the claimed limitation "the computer-readable resource designator being configured for use by a computer so that a computer can automatically retrieve a resource associated with both the human-readable resource designator and the computer-readable resource designator". However, Wilz teaches that the URL encoded within the bar code symbol is used to specify the location of an information storage field represented on a statically-defined HTML encoded information field on a web-page stored on the RTD information server 51 and served to client subsystems by HTTP server 60. The CGI 61 realized aboard RTD server 51 translates the product identification number stored on web-page 59 at URL 58 into a SQL type request the information record stored in RDBMS 55 and converts such retrieved information elements into a HTML-encoded web-page conveniently formatted for display on the display screen of the requesting client system 52, 53 and/or 54. The system displays a resource, which includes URL-encoded bar code and URL. The

Art Unit: 2172

Page 14

above information shows that the server computer retrieves automatically the website after receiving clients' requests (col. 27, lines 40-65; col. 22, lines 15-36).

It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to apply Wilz's teaching of that the URL encoded within the bar code symbol is used to specify the location of an information storage field represented on a statically-defined HTML encoded information field on a web-page stored on the RTD information server 51 and served to client subsystems by HTTP server 60. The CGI 61 realized aboard RTD server 51 translates the product identification number stored on web-page 59 at URL 58 into a SQL type request the information record stored in RDBMS 55 and converts such retrieved information elements into a HTML-encoded web-page conveniently formatted for display on the display screen of the requesting clients in order to provide a novel method of surfing to web-sites on the Internet by optically scanning the character strings of URLs into GUI without the need of manual data entry operations or eliminate users' interactions.

As to claim 35, Wilz teaches the claimed limitations:

"a human-readable resource designator" as (col. 4, lines 45-50) "and a computer-readable resource designator associated with and corresponding to the human-readable resource designator" as (col. 4, lines 45-50; col. 6, lines 44-46);

"one or more servers configured to receive requests for resources associated with both the human-readable resource designator and the computer-readable resource

Art Unit: 2172

designator, and return requested resources to one or more computing devices" as (col. 27, lines 38-65);

"and a data store for holding resources that can be requested by one or more computing devices" as (col. 27, lines 55-65).

Wilz does not clearly teach the claimed limitation "the computer-readable resource designator being configured for use by a computer so that a computer can automatically retrieve a resource associated with both the human-readable resource designator and the computer-readable resource designator". However, Wilz teaches that the URL encoded within the bar code symbol is used to specify the location of an information storage field represented on a statically-defined HTML encoded information field on a web-page stored on the RTD information server 51 and served to client subsystems by HTTP server 60. The CGI 61 realized aboard RTD server 51 translates the product identification number stored on web-page 59 at URL 58 into a SQL type request the information record stored in RDBMS 55 and converts such retrieved information elements into a HTML-encoded web-page conveniently formatted for display on the display screen of the requesting client system 52, 53 and/or 54. The system displays a resource, which includes URL-encoded bar code and URL. The above information shows that the server computer retrieves automatically the website after receiving clients' requests (col. 27, lines 40-65; col. 22, lines 15-36).

It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to apply Wilz's teaching of that the URL encoded within the bar code symbol is used to specify the location of an information storage field represented

Art Unit: 2172

on a statically-defined HTML encoded information field on a web-page stored on the RTD information server 51 and served to client subsystems by HTTP server 60. The CGI 61 realized aboard RTD server 51 translates the product identification number stored on web-page 59 at URL 58 into a SQL type request the information record stored in RDBMS 55 and converts such retrieved information elements into a HTML-encoded web-page conveniently formatted for display on the display screen of the requesting clients in order to provide a novel method of surfing to web-sites on the Internet by optically scanning the character strings of URLs into GUI without the need of manual data entry operations or eliminate users' interactions.

Page 16

As to claim 40, "one or more computing devices configured to read computer-readable resource designators and request resources associated with individual computer-readable resource designators" as (fig. 1 & fig. 1B2).

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure

Knowles et al (USP 5869819).

Contact Information

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cam-Y Truong whose telephone number is (703-605-1169). The examiner can normally be reached on Mon-Fri from 8:00AM to 4:00PM.

Art Unit: 2172

792 Page 17

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Kim Vu, can be reached on (703-305-4393). The fax phone numbers for the

organization where this application or proceeding is assigned is (703)-746-7239 (formal

communications intended for entry), or: (703)-746-7240 (informal communication

labeled PROPOSED or DRAFT).

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is (703-305-

3900).

Cam-Y Truong

7/10/03

JEAN M. CORRIELUS PRIMARY EXAMINER